




**LOOP-LOC**<sup>®</sup>  
THE ONE. THE ONLY.

#AskForTheElephant

2025

**LOOK  
BOOK**



Manual Safety Cover in accordance  
with ASTM Standard F 1346-91  
Made in the USA





#### A TRACK RECORD OF TRUST & SAFETY

In 1978, Bill Donaton founded LOOP-LOC with five employees. In 2001, Bill's daughter, LeeAnn Donaton took over as President & CEO, and today LOOP-LOC boasts a 200,000 square foot headquarters in Hauppauge, New York with over 300 employees.

Bill continued to make safety improvements to LOOP-LOC covers. Most significant was LOOP-LOC's GAPGUARD® and SAFEDGE®, now known as CABLE-LOC™ Child Safety Intrusion Barriers, a plastic extrusion designed to close the gaps created where the edge of the cover meets a raised obstruction. For this breakthrough, he received U.S. Patent #4,982,457.

LOOP-LOC also takes the lead in bringing the safety issue to the forefront for consumers. For years, the industry considered safety a negative to be avoided. But by bringing safety to the front and center of LOOP-LOC advertising, the company showed that it could be a positive. The result was one of the most recognized advertising campaigns in the history of the pool and spa industry: "Bubbles the Elephant."

Under LeeAnn's guidance LOOP-LOC is now not only a leader in the Safety Pool Cover industry, but has re-invented the in-ground vinyl liner industry by producing some of the most luxurious and innovative liner patterns available in the market today, all of which are made with CFFA certified vinyl for chemical safety and certified performance and durability standards. LOOP-LOC Luxury Liners are primarily exclusive patterns that cannot be found anywhere else in the world. LeeAnn has also been awarded a number of patents from solid safety swimming pool covers, to cover treatments and fencing products.

When Bill Donaton passed away in 2002, the industry lost a great leader and pioneer. But LOOP-LOC's focus on its mission is as strong as ever. In fact, the banner reading, "The quality of the cover you make today can save a life tomorrow." that Bill hung in the beginning still hangs in the LOOP-LOC plant to this day.

**Thank you for trusting us with the safety of your family for over forty-seven years.**

Made in the USA





# Committed to Your Family's Safety

## 47 Years and Counting!



#AskForTheElephant



**LOOP-LOC**<sup>®</sup>  
THE ONE. THE ONLY.

# 2025 SAFETY POOL COVERS

LOOP-LOC covers not only meet, but exceed, ASTM standards for Safety Swimming Pool Covers F 1346-91.



Manual Safety Cover  
In accordance with  
ASTM Standard F 1346-91

Made in the USA

To show our dedication to the safety and security of your family, LOOP-LOC covers have undergone extensive outside testing through Underwriters Laboratories (UL) and are the only mesh covers in the industry to have earned the seal of approval for safety swimming pool covers.



# Safety Swimming Pool Covers

## Putting safety on lock.

LOOP-LOC® offers added peace of mind to protect your family during the off-season. Only LOOP-LOC is available with the patented CABLE-LOC™ and GAPGUARD® Child Safety Intrusion Barriers, which close the dangerous gaps created where raised obstructions meet the cover's edge, significantly reducing the risk of a child or pet slipping through.

## The perfect fit-no matter what.

LOOP-LOC's exclusive Computer-Aided Design ensures a perfect, custom fit for any shape or size pool. From a simple square to the most complex installation, LOOP-LOC can manufacture a custom cover with the perfect fit for any pool or spa.

## Dry and beautiful, even when the weather isn't.

LOOP-LOC always stays tight, clean and beautiful on your pool. Unlike a saggy, unsightly waterbag cover that becomes a dangerous, slippery swamp after just a few rains, LOOP-LOC's super dense mesh allows rain to drain through. The cover stays dry and beautiful in any weather.

## Easy to install and remove.

LOOP-LOC's unique anchoring system makes it easy to re-install and remove, so you can spend less time uncovering and more time enjoying your pool or spa.

## Long lasting with minimal maintenance.

By following LOOP-LOC's simple care and maintenance instructions for your mesh or solid cover, you'll be able to open your pool with minimal cleaning and keep your cover in the best shape, year after year. Unlike solid waterbag covers, a LOOP-LOC cover requires no scrubbing or heavy maintenance.



Manual Safety Cover  
In accordance with  
ASTM Standard F 1346-91

Made in the USA



#AskForTheElephant



### UNIQUE ANCHORS

Offer ultimate protection and fit flush with the deck.

# SUPER DENSE MESH

You'll probably never need a pool cover safe and strong enough to support the weight of "Bubbles," the African Elephant. Imagine how safe you'll feel owning the only pool cover that's proven it can: the LOOP-LOC® Safety Swimming Pool Cover

- Allows rain and melting snow to easily drain through
- Blocks virtually all sunlight

LOOP-LOC® covers not only meet, but exceed ASTM standards for Safety Swimming Pool Cover F 1346-91. To show our commitment and dedication to the safety and security of your family, LOOP-LOC covers have undergone extensive outside testing through Underwriters Laboratories (UL) and have earned the seal of approval for safety swimming pool covers.



Manual Safety Cover  
In accordance with  
ASTM Standard F 1346-91

Made in the USA

Super dense mesh available in **Green or designer Black, Gray, Tan or Blue** to complement your outdoor decor.



**Black** Super Dense Mesh



**Blue** Super Dense Mesh



**Gray** Super Dense Mesh



**Tan** Super Dense Mesh




## Here are 15 reasons why.


- 1 LOOP-LOC covers are **the only safety covers to be awarded UL certification year after year.**
- 2 Mesh construction **allows rain and melting snow to drain right through.**
- 3 Our covers are so durable, they are backed by a **15-year prorated warranty** and so safe, they may reduce your liability insurance.
- 4 The lightweight nature of our covers makes **installation and removal a breeze.**
- 5 Available in a **variety of designer colors**, our covers blend beautifully into any backyard, complementing your decor.
- 6 LOOP-LOC's patented CABLE-LOC™ and GAPGUARD® Child Safety Intrusion Barriers **close the gap created when a pool includes raised obstructions** located at the cover's edge.
- 7 The **polyester bonded thread** used in our covers is 30% stronger in thread size and produces a higher margin of safety in all seams (compared to our competitors).
- 8 Double-perimeter webbing and double thick straps give our covers an **incredibly high break strength.**
- 9 For superior weight-bearing capacity, we use extremely high-strength, **non-corrosive 302/304 grade stainless steel springs.**
- 10 **Unique brass anchors recess flush** with the deck when the cover is removed.
- 11 To **ensure that not a single stitch is missed**, we sew the webbing to the cover using contrasting white thread, instead of black.
- 12 We use 80% black yarn in our fabric for **superior UV stability.**
- 13 Chafe strips are manufactured with **exclusively virgin material** -- not "regrind," which tends to stain decking.
- 14 **Non-corrosive aluminum tips** are double-notched for stability.
- 15 The large X-tacking on LOOP-LOC straps is sewn manually for **precise placement and maximum strength.**




HUNTER  
GREEN



SAPPHIRE  
NAVY



MOJAVE  
BROWN



STEEL  
GRAY

# AQUA-XTREME®

Maximum light blocking  
Lightning-quick drainage  
Ultimate convenience

Imagine opening your pool in the spring and having it look almost as clean as the day you closed it. That's what you can expect from Aqua-Xtreme "Virtually Solid" mesh safety covers by LOOP-LOC®.

Our ultimate light-blocking fabric deters algae growth and enables lightning-quick draining. Unlike other light blocking covers, Aqua-Xtreme drains up to 80 gallons per minute without clogging. The unique, new weave is extra durable to give you the complete peace of mind that comes with owning a LOOP-LOC safety swimming pool cover.

- Ultimate light blocking to deter algae growth
- Super-strong, quick-draining mesh
- 50% lighter than solid covers for easy handling
- Available in Hunter Green, Sapphire Navy, Mojave Brown and Steel Gray to complement your backyard decor



Manual Safety Cover  
In accordance with  
ASTM Standard F 1346-91

Made in the USA



Preview any LOOP-LOC Safety Cover  
with our Mirage Pool Visualizer at  
[looploc.com/mirage](http://looploc.com/mirage)





The Strong, Solid Safety Cover

# ULTRA-LOC® III

To show our commitment and dedication to the safety and security of your family, LOOP-LOC® covers have undergone extensive outside testing through Underwriters Laboratories (UL) and have earned the seal of approval for safety swimming pool covers.

## Quality you can trust – and see.



→ Blends beautifully into any backyard decor.

→ Available in Green or your choice of Designer Blue, Mocha, and Gray.

Strong, durable, and maintenance-free, ULTRA-LOC® III provides all of the superior light-blocking properties of a solid safety pool cover, backed by the quality only LOOP-LOC can deliver.

- Premium coated vinyl material with enhanced 100% polyester rip-stop scrim.
- Fast, easy draining with optional mesh drainage panels.
- No scrubbing or maintenance required, unlike traditional solid water bag covers.
- Fits any pool or spa perfectly, from a simple square to a complex installation with a custom cover.
- LOOP-LOC covers not only meet, but exceed ASTM standards for Safety Swimming Pool Covers F 1346-91.



## Drains fast with optional Mesh Drainage Panels

Solid covers without panels block 100% of sunlight and come with an automatic pump, which must be used at all times to meet ASTM safety cover standards.



Manual Safety Cover  
In accordance with  
ASTM Standard F 1346-91

Made in the USA



Preview any LOOP-LOC Safety Cover with our Mirage Pool Visualizer at [looploc.com/mirage](http://looploc.com/mirage).

# LOOP-LOC® Specifications

## A track record of trust and safety.

Keeping your family safe means everything to us. That's why all of our products are made from top quality materials and are thoroughly tested to ensure they not only meet, but exceed ASTM standard F 1346-91.

### Super Dense Mesh

Polypropylene-extruded monofilament yarn: 525 denier in the warp and 595 denier in fill. 41 x 20 construction plus 80% black yarn and 20% green yarn for enhanced U.V. properties, 4.7 ounces per sq. yard.

### Aqua-Xtreme Mesh

Polypropylene-extruded, patented, double-layer weave technology to promote high water flow and highest shade values. Monofilament in the warp and combination of mono/fibrillated tape in fill direction, 86% black yarn and 14% colored yarns for enhanced U.V. properties, 6.7 ounces per sq. yard.

### ULTRA-LOC® III

High adhesion coated vinyl with a woven rip-stop scrim, enhanced U.V. and mildew properties, 14 ounces per sq. yard.

### Webbing

1" wide polypropylene, polyester with nylon filler. Minimum break strength: 2,100 pounds single. To be used double-thick for minimum strap break-strength of 4,200 pounds. Minimum 90% black yarn. (Cotton, wool or other natural fibers treated or untreated are unacceptable for safety cover use.)

### Chafing Strips

Under cover 1" minimum width, 20" to 36" long (depending on cover overlap) extruded solid, virgin vinyl 3/16" thick. All inside corners heavily padded.

- **Extend the life of your pool** by reducing the need for repainting or replastering.
- **Increase your savings on water** because the pool doesn't need to be drained at the end of every season.
- Have the potential to **lower your liability and insurance premium.**
- **Help the environment.** Keeping the pool filled means you don't have to worry about disposing of chlorine and chemically treated water, an environmental hazard that many states are in the process of regulating.



### Safety Barrier/Gapguard

Solid, virgin vinyl, 3" extrusion for raised walls, etc., and 15" extrusion for raised steps as needed to meet (or exceed) ASTM Safety Standard F 1346-91. LOOP-LOC® Patent No. 4,982,457.

### Thread

Bonded Polyester – UVR. Size 138. Three rows of stitching all directions.

### Warranty

Safety cover will have a 15-year prorated warranty.

### Standard Springs

302/304 stainless steel, two draw-bar compression type with thick vinyl tubular deck-protective covers. For residential applications.

### Commercial Springs

Made from the same high quality material as our standard springs, 302/304 stainless steel. Draw-bar and coil wire diameter increased to handle larger load capacities with thick vinyl tubular deck-protective covers. For covers over 2,500 sq. ft. and commercial applications.

### Anchors

Brass, flush-mounted in deck with screw-type insert. 4,000 pound break strength at neck.

### Installation Tools

30" long steel rod, with notched end and plastic grip.

### Finished Cover

To have sections approximately 3' x 3'. (For residential rectangular pools only, cover may be made with approximately 5' x 5' sections.) All straps to be "X"-tacked at the cover edge with stainless steel buckles and aluminum tips.

**#AskForTheElephant**

## Commercial Covers

In the off-season, an empty, unsupervised commercial pool can be an invitation for disaster. Locked gates or fences alone have often proved ineffective in preventing children and pets from gaining access to the pool area.



Keep your facility safe  
and save money with LOOP-LOC®

## Aqua-LOC®

The **zipped-up** solution for obstructions and oversized pools.

Large commercial pools and pools with rails and other non-removable raised obstructions have always posed challenges for safety swimming pool cover installation. LOOP-LOC's® patented AQUA-LOC treatment is easy to install, easy to use, and greatly reduces the need for strap-and-buckle treatments. Like all other LOOP-LOC products, AQUA-LOC meets all ASTM standards for safety covers.




### Durable Construction

1. YKK industrial zipper secures cover sections.
2. Black urethane UV coating protects zipper.
3. Stainless steel block prevents zipper from being opened.
4. Key-lockable cable secures block in place.

## LOGO-LOC™

Where safety gets personal

Customize your pool cover with a photo or logo that reflects your brand, business, or family with LOGO-LOC. There's only one LOOP-LOC, and only one you, and your pool cover should reflect your individuality. Simply send us a logo or photo and we will create a completely custom LOOP-LOC safety pool cover for you, made with only the highest quality, durable materials that LOOP-LOC is known and covered for.



Customize Your  
Pool Cover With:

A logo or monogram  
(maximum 16'W x 150'L)


A high-resolution image  
(at least 300dpi)



## CABLE-LOC®

We've raised the bar on **raised wall installation**.

Installing LOOP-LOC® safety covers on pools with raised walls is now an easier and more beautiful experience. Our innovative patented Cable-Loc treatment features 33% fewer anchors, flexible anchor positioning for much faster installation, exceptional quality materials, and a sleek new look you will love!



1. New smaller-profile SAFEDGE® Safety Barrier is segmented to better adapt to walls.
2. Aircraft-quality stainless steel cable has 5,000 lb. break strength.
3. Maximum 18" anchor spacing.


## PROTECT-A-GAP®

The safest, simplest way to close gaps created by raised spas.

LOOP-LOC's Patented PROTECT-A-GAP technology is the perfect safety cover solution for raised spas, waterfalls, rises or any obstruction higher than 9", where a two-cover treatment is not desired. It is easy to install and can be "field fit" to provide the most secure gap barrier for each cover. Plus, the materials are flexible enough to provide a close fit on virtually any shape. With PROTECT-A-GAP, you can feel confident that your pool will remain safe and secure.



Unique solutions for one-of-a-kind pools



1. Triangular flap of mesh materials sewn to underside of cover.
2. Extrusion with multiple anchoring locations sewn to flap where it meets deck and raised obstruction.
3. Standard LOOP-LOC hardware installed at approximately 3' intervals, secures flap to deck and obstruction.



The only hole in your deck should be your pool.

INTRODUCING

## DECK-LOC®

The first NO-DRILL anchor system for composite decks.

Now you can install a pool cover on composite decking without drilling a single hole. DECK-LOC anchors secure in seconds by simply turning the clamps until they lock under the deck boards. Removing them for storage is just as easy, leaving the pool deck pristine and unscarred, because the only hole in your deck should be your pool.

Patented under U.S. Patent application 16/200,929



- Manufactured in marine grade stainless steel.
- Made for composite decks with  $\frac{3}{8}$ " board spacing.



## CLIP-LOC™

Premium Clip System for Under-Cover Padding

Easily attach padding to rough or raised edges for the ultimate pool cover fit. Each padding roll is 22'6" long and contains 6 clips. All orders that require loose under-cover padding will receive a CLIP-LOC kit. Patent Pending.



# On-Ground Pool Covers

Superior safety, strength, and protection.

Owners of on-ground pools surrounded by at least 2 feet of deck can enjoy the same safety, strength and protection that owners of in-ground pools have enjoyed for years with a LOOP-LOC® On-Ground Safety Cover.



- Goes on and off in a snap!
- Unique patented bracket fits a wide variety of decks
- Built super strong to protect children and pets




1. Mesh lets rain pass through, so no hazardous standing water collects on top.
2. Durable double-thick solid polypropylene webbing straps surround entire perimeter, not just corners.
3. Easy to maintain. Mesh fabric requires no scrubbing when you remove it.
4. Noncorrosive type 302/304 stainless steel springs and double-notched aluminum tips.
5. Also available in ULTRA-LOC® Solid and Aqua-Xtreme® Virtually Solid Mesh.

\*NOTE: Pool must be surrounded by a self-supporting deck at least 2 feet wide. Not for basic above-ground pools.

Protect your family with the only safety mesh pool cover that passed the Bubbles the Elephant test:

**“THE ELEPHANT™ COVER”**



#AskForTheElephant

(Please note: “Bubbles” the elephant is seen standing on the mesh cover as a demonstration of the substantial amount of weight that LOOP-LOC covers can withstand in the event of an emergency. Contact with sharp-hoofed animals will damage the covers.)